

**SAFETY DATA SHEET****Section 1. Identification of the Product and Company**

Product Name: Steam Power HD  
Product Use: Cleaning product  
  
Product Code: 80-739  
  
Manufactured for: Kimball Midwest  
4800 Roberts Ed.  
Columbus, Ohio 43228  
  
Phone: 800-233-1294  
Company Emergency Phone: 800-233-1294  
Chemical Emergency Phone: 800-424-9300 (Chemtrec)  
SDS Date of Preparation: December 19, 2024

**Section 2. Hazards Identification****GHS Classification (OSHA Hazcom 2024):**

<b>Physical:</b>	<b>Health:</b>
Not Hazardous	Skin Corrosion Category 1 Eye Damage Category 1

**GHS Label Elements:****Danger!****Statements of Hazard**

Causes severe skin burns and eye damage.

**Prevention**

Do not breathe mist, vapor, or spray.  
Wash thoroughly after handling.  
Wear protective gloves, protective clothing,  
eye protection and face protection.

**Storage**

Store locked up.

**Disposal**

Dispose of contents in accordance with local,  
state, and federal regulations

**Response**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
Immediately call a POISON CENTER or doctor.  
IF ON SKIN (or hair): Take off immediately all contaminated  
clothing. Rinse skin with soap and water. Wash contaminated  
clothing before reuse. Immediately call a POISON CENTER  
or doctor.  
IF INHALED: Remove person to fresh air and keep  
comfortable for breathing. Immediately call a POISON  
CENTER or doctor.  
IF IN EYES: Rinse cautiously with water for several minutes.  
Remove contact lenses, if present and easy to do. Continue  
rinsing. Immediately call a POISON CENTER or doctor.

# SAFETY DATA SHEET

Steam Power HD

## Section 3. Composition/Information on Ingredients

Component	CAS Number	% by Weight
Sodium Hydroxide	1310-73-2	<1

**The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.**

## Section 4. First Aid Measures

**Eyes:** Immediately flush eyes with plenty of water for at least 20 minutes while holding the eyelids apart. Remove contact lenses if safe and easy to do. Get immediate medical attention.

**Skin:** Flush skin with plenty of water for 15 minutes while removing contaminated clothing. Wash skin thoroughly with soap and water. Get immediate medical attention. Launder clothing before re-use.

**Inhalation:** Remove victim to fresh air. If breathing is difficult, have a qualified person administer oxygen. If not breathing, give artificial respiration. Get immediate medical attention.

**Ingestion:** Do NOT induce vomiting. Rinse mouth with a small amount of water. Never give anything by mouth to an unconscious or drowsy person. Get immediate medical attention.

**Most important Symptoms:** Causes severe eye irritation or burns. Permanent eye damage may occur. Causes skin irritation or burns. May cause respiratory irritation or burns. Swallowing may cause burns to the mouth, throat, or stomach.

**Indication of immediate medical attention/special treatment:** Get immediate medical attention for product contact and ingestion.

## Section 5. Fire Fighting Measures

**Suitable (and Unsuitable) Extinguishing Media:** Use any media that is suitable for the surrounding fire.

**Specific hazards arising from the chemical:** Not classified as combustible or flammable. Containers may rupture in a fire due to pressure build-up. Thermal decomposition may produce ammonia and carbon, sodium, sulfur, and nitrogen oxides.

**Special Protective Equipment and Precautions for Fire-Fighters:** Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water spray.

## Section 6. Accidental Release Measures

**Personal Precautions, Protective Equipment, and Emergency Procedures:** Isolate the area and remove unprotected people. Wear suitable protective clothing to prevent skin and eye contact. Ventilate the area.

**Environmental hazards:** Avoid release into the environment. Notify authorities of releases as required.

**Methods and Materials for Containment and Cleaning Up:** Neutralize spill with weak acid solution, or basic spill kit. Promptly clean up spills with inert absorbent and place in a suitable, properly labeled container for disposal. Clean spill area thoroughly. Keep out of sewers and waterways. Notify authorities of releases as required.

# SAFETY DATA SHEET

Steam Power HD

## Section 7. Handling and Storage

**Precautions for Safe Handling:** Prevent contact with eyes and skin. Do not breathe vapors, spray, or mists. Use only with adequate ventilation. Wear suitable protective clothing and equipment (See Section 8). When diluting, never pour water into this product. Always add this slowly to water while stirring. Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use. Take off and launder contaminated clothing before reuse. Keep container closed when not in use. Empty containers retain product residues and may be hazardous.

**Conditions for Safe Storage, Including Any Incompatibilities:** Store locked up in a cool, dry, well-ventilated area. Store away from acids and oxidizers.

## Section 8. Exposure Controls / Personal Protection

### Exposure Limits:

Chemical Name	Exposure Limits
Sodium Hydroxide	2 mg/m <sup>3</sup> TWA OSHA PEL 2 mg/m <sup>3</sup> Ceiling ACGIH TLV

**Engineering Controls:** Provide general or local exhaust ventilation to minimize exposure levels and maintain exposure levels below the occupational exposure limits. Emergency eye wash or safety shower should be available.

**Respiratory Protection:** For operations where the exposures are excessive or exposure limits are exceeded, an approved respirator with dust/mist cartridges or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration, select in accordance with applicable regulations and good industrial hygiene practice.

**Eye Protection:** Wear chemical safety goggles and faceshield if contact is possible.

**Skin Protection:** Chemical resistant gloves recommended to prevent skin contact. Contact your glove supplier for assistance in selecting an appropriate glove. Wear suitable chemical resistant clothing to prevent skin contact.

## Section 9. Physical and Chemical Properties

**Appearance- Color and Odor:** Clear to slightly cloudy liquid with a mild odor.

<b>Physical State:</b> Liquid	<b>Odor Threshold:</b> Not available
<b>Relative Vapor Density:</b> >1	<b>Initial Boiling Point/Range:</b> Not available
<b>Solubility In Water:</b> Soluble	<b>Vapor Pressure:</b> Not available
<b>Relative Density:</b> 1.08	<b>Evaporation Rate:</b> Not available
<b>Melting/Freezing Point:</b> Not determined.	<b>pH:</b> 11.7
<b>VOC Content:</b> Not determined.	<b>Octanol/Water Coefficient:</b> Not available
<b>Kinematic Viscosity:</b> Not available	<b>Decomposition Temperature:</b> Not available
<b>Flashpoint:</b> >212°F (>100°C) TCC	<b>Flammability:</b> Not applicable
<b>Flammable Limits: LEL:</b> Not applicable <b>UEL:</b> Not applicable	<b>Autoignition Temperature:</b> Not applicable
<b>Particle Characteristics:</b> Not applicable	

## Section 10. Stability and Reactivity

**Reactivity:** Not normally reactive.

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** May react with acids and oxidizers generating heat.

# SAFETY DATA SHEET

Steam Power HD

**Conditions to Avoid:** Avoid contact with incompatible materials.

**Incompatible Materials:** Avoid strong oxidizing agents and acids. May attack plastics, rubber, and coatings.

**Hazardous Decomposition Products:** Thermal decomposition yields ammonia and carbon, sodium, sulfur, and nitrogen oxides.

## Section 11. Toxicological Information

**Inhalation:** Inhalation of vapor or mist may cause severe irritation of the nose, throat, and respiratory tract. High concentrations may cause lung damage.

**Eye Contact:** May cause severe irritation or burns with redness, tearing and pain. Permanent damage may occur.

**Skin Contact:** May cause severe irritation with redness, pain and burning of the skin.

**Ingestion:** Ingestion may cause burns to the mouth, throat and stomach, nausea, vomiting, diarrhea, and shock.

**Chronic Effects:** Repeated skin contact with dilute solutions may cause dermatitis.

**Sensitization:** Not classified. None of the components are sensitizers.

**Carcinogenicity:** Not classified. None of the components are listed as a carcinogen or suspected carcinogen by IARC, NTP, ACGIH or OSHA.

**Reproductive Toxicity:** Not classified. This product is not expected to cause reproductive or developmental effects.

**Mutagenic Effects:** Not classified. None of the components are germ cell mutagens.

**Toxicological Data:** ATE Oral LD50: > 5,000 mg/kg.

Not classified for acute toxicity. Damaging dermal effects are caused by corrosive action of product components.

Sodium Hydroxide: Oral rat LD50: 4,090 mg/kg, Corrosive to skin. Dermal toxicity not available.

## Section 12. Ecological Information

**Ecotoxicity:** No data currently available for product. Not expected to be harmful to aquatic life or to cause long lasting harmful effects to the aquatic environment.

**Persistence and Degradability:** No data currently available for product.

**Bioaccumulative Potential:** No data currently available for product.

**Mobility in Soil:** No data currently available for product.

**Other Adverse Effects:** Before neutralization, extreme pH may have temporary harmful effects.

## Section 13. Disposal Information

Dispose in accordance with local, state, and federal regulations.

## Section 14. Transport Information

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT	N/A	Not regulated	N/A	N/A	N/A
TDG	N/A	Not regulated	N/A	N/A	N/A
IMDG	N/A	Not regulated	N/A	N/A	N/A
IATA	N/A	Not regulated	N/A	N/A	N/A

**Transport in bulk according to IMO instruments:** Not applicable.

**Note:** GHS corrosive classification is based on pH and not applicable for transportation classification.

# SAFETY DATA SHEET

Steam Power HD

## Section 15. Regulatory Information

**EPA SARA 311/312 Hazards:** Classified as per GHS classification in Section 2 of this SDS.

**EPA SARA 313:** This product contains the following chemicals regulated under SARA Title III, section 313:  
None

**CERCLA Hazardous Substances (Section 103)/RQ:** This product has an RQ of 100,000 lbs based on the RQ of Sodium Hydroxide of 1,000 lbs. Many states have more stringent release reporting requirements. Report spills required under federal, state, and local regulations.

**Hazardous Air Pollutants (HAPS):** This product does not contain EPA hazardous air pollutants above 0.1%

**EPA TSCA:** All of the components of this product are listed on the TSCA inventory.

**California Proposition 65:** This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

## Section 16. Other Information

Date of current SDS: December 19, 2024

Date of previous version: October 21, 2015

Revision Changes: SDS Review and update. Update to OSHA Hazcom 2024. Change to all Sections.

<b>NFPA Ratings:</b>	Health: 3	Fire: 0	Instability: 0
<b>HMIS Rating:</b>	Health: 3	Fire: 0	Physical Hazard: 0

### NOTICE

This above information is believed to be correct but does not propose to be all inclusive and shall be used only as a guide. Kimball Midwest shall not be held liable for any damage resulting from handling or from contact with the above product. This information relates only to the product designated herein and does not relate to its use in combination with any other material or process.