



The following SDS references the products below:

Champion Sprayon Indoor Insect Fogger

Vendor Item Number: FG 438-5105 GHS

Manufactured By:

Chase Products Co.

Distributed by Kimball Midwest with the KM product-
identification number:

80-971



Issue date 02-May-2019

Safety Data Sheet

Version 4

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHAMPION SPRAYON FLYING INSECT KILLER FORMULA 2
Chemical name 7-8110

Other means of identification

Product code FG 438-5102-7
Synonyms Flying insect killer
Registration number(s) 498-183

Recommended use of the chemical and restrictions on use

Recommended Use Flying and crawling insect killer.
Uses advised against See "USE RESTRICTIONS" on product label.

Details of the supplier of the safety data sheet

| Supplier Address | Manufacturer Address |
|--|--|
| Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-865-1000 | Chase Products Co. 2727 Gardner Road Broadview, IL 60155 708-865-1000 |

Emergency Telephone Number

Company Phone Number 708-865-1000
24 Hour Emergency Phone Number 1-800-255-3924
Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

This chemical is regulated by FIFRA.

| | |
|-------------------------------------|---------------|
| Acute toxicity - Inhalation (Gases) | Category 4 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |
| FLAMMABLE AEROSOLS | Category 2 |
| Gases Under Pressure | liquefied gas |

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

HARMFUL IF INHALED
May cause an allergic skin reaction
May cause cancer
Flammable Aerosol
Contains gas under pressure; may explode if heated



Appearance White, creamy emulsion.

Physical State Aerosol

Odor Characteristic odor of insecticide and petroleum distillate.

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Avoid breathing fumes, mist, vapors or spray.
 Use only outdoors or in a well-ventilated area
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves, protective clothing, eye protection and face protection.
 Keep away from heat, sparks, open flames and hot surfaces. — No smoking
 Do not spray on an open flame or other ignition source
 Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 Specific treatment: See additional cautionary statements on this label.
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store locked up
 Protect from sunlight. Store in a well-ventilated place
 Do not expose to temperatures exceeding 122 °F (50 °C)

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- Very toxic to aquatic life with long lasting effects
 - Very toxic to aquatic life
- No information available

3. Composition/information on Ingredients

Common Name Insecticide spray.
Synonyms Flying insect killer.
Chemical Family Pesticide.
Formula 7-8110
Chemical nature Oil-water emulsion.

| Chemical name | CAS No | weight-% | Trade secret |
|---|------------|----------|--------------|
| Water | 7732-18-5 | 70-75 | * |
| Petroleum distillates, hydrotreated light | 64742-47-8 | 5-11 | * |
| Propane | 74-98-6 | 5-10 | * |
| n-butane | 106-97-8 | 5-10 | * |
| Tetramethrin | 7696-12-0 | .15 | * |

FG 438-5102-7 CHAMPION SPRAYON FLYING INSECT KILLER FORMULA 2

| | | | |
|------------|------------|------|---|
| Permethrin | 52645-53-1 | 0.15 | * |
|------------|------------|------|---|

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

| | |
|---------------------|---|
| Eye Contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Skin contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Inhalation | If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. |
| Ingestion | Ingestion from an aerosol product is unlikely to occur. In case of accidental ingestion, do not induce vomiting unless directed by a physician. Seek medical attention immediately. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|---|
| Symptoms | Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if inhaled. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|--|
| Note to physicians | Contains petroleum distillates, do not induce vomiting because of aspiration pneumonia hazard. |
|---------------------------|--|

5. Fire-fighting measures

Suitable extinguishing media

CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. May emit toxic gases and irritating fumes under fire conditions.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|---------------------------------|---|
| Personal precautions | Use with adequate general or local exhaust ventilation. |
| For emergency responders | Remove all sources of ignition. |

Environmental precautions

Environmental precautions This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation. Avoid sources of ignition. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). **AEROSOL STORAGE LEVEL I (NFPA-30B)**.

Incompatible Materials Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------|--|--|--|
| Propane 74-98-6 | : See Appendix F: Minimal Oxygen Content, explosion hazard | TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ |
| n-butane 106-97-8 | STEL: 1000 ppm explosion hazard | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m ³ |

Appropriate engineering controls

Engineering controls Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Rubber, vinyl or household type gloves required.

Respiratory protection None required if used in a well-ventilated area. Follow label directions and precautions for the correct use of the product.

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

| | | | |
|-------------------------------------|--|--------------------------|--|
| Physical State | Aerosol | Odor | Characteristic odor of insecticide and petroleum distillate. |
| Appearance | White, creamy emulsion. | | |
| Color | White | Odor threshold | No information available |
| Property | Values | Remarks • Method | |
| pH | Not applicable | Water-oil emulsion. | |
| Melting point/freezing point | Not applicable | No information available | |
| Boiling point/boiling range | Water 212 °F/100 °C | No information available | |
| Flash Point | Not Available. This is an aerosol product for which Flame Projection is 0 inches. Temperatures above 120 °F may cause cans to burst. | No information available | |
| Evaporation Rate | Faster than butyl acetate. | No information available | |
| Flammability (solid, gas) | | No information available | |
| Flammability Limits in Air | | No information available | |
| Upper flammability limits | | | |
| Lower Flammability Limit | | | |
| Vapor pressure | | No information available | |
| Vapor Density | | No information available | |
| Relative Density | 0.970 concentrate | No information available | |
| Water solubility | | slightly soluble | |
| Solubility in other solvents | | No information available | |
| Partition coefficient | | No information available | |
| Autoignition Temperature | | No information available | |
| Decomposition temperature | | No information available | |
| Kinematic viscosity | | No information available | |
| Dynamic viscosity | | No information available | |
| Explosive properties | No information available | | |
| Oxidizing properties | No information available | | |
| Other Information | | | |
| Softening point | No information available | | |
| Molecular weight | No information available | | |
| VOC content (%) | 14.5 | | |
| Density | 8.08 lb/gal | | |
| Bulk Density | No information available | | |

10. Stability and Reactivity

Reactivity
Not applicable

Chemical stability
Stable.

Possibility of hazardous reactions
Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid
Temperatures above 122 °F (50 °C).

Incompatible Materials
Avoid heat, open flame and contact with strong acids, strong bases and strong oxidizers.

Hazardous decomposition products

FG 438-5102-7 CHAMPION SPRAYON FLYING INSECT KILLER FORMULA 2

Thermal decomposition may yield gases like nitrogen oxides, carbon monoxide and carbon dioxide. May emit toxic fumes under fire conditions.

11. Toxicological Information

Information on likely routes of exposure

Product Information Results below are for a very similar product with same concentration of active ingredients.

Inhalation Acute Inhalation IV (LC50>4.31 mg/L).

Eye Contact Primary Eye IV.

Skin contact Acute Dermal IV (LD >5,000 mg/kg).

Ingestion Acute Oral IV (LD50 >5,000 mg/kg).

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|--|---|---|------------------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Petroleum distillates, hydrotreated light 64742-47-8 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat) 4 h |
| Propane 74-98-6 | - | - | > 800000 ppm (Rat) 15 min |
| n-butane 106-97-8 | - | - | = 658 g/m ³ (Rat) 4 h |
| Tetramethrin 7696-12-0 | = 4640 mg/kg (Rat) | > 2000 mg/kg (Rat) > 2500 mg/kg (Rat) | > 1.18 mg/L (Rat) 3 h |
| Permethrin 52645-53-1 | = 220 mg/kg (Rat) = 383 mg/kg (Rat) | = 1750 mg/kg (Rat) > 2 g/kg (Rabbit) > 5000 mg/kg (Rat) | > 0.69 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and nausea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Prolonged and repeated contact with skin may cause allergic reactions in some individuals.
Serious eye damage/eye irritation Can cause irritation after contact with the eyes.
corrosivity Not applicable.
sensitization No a skin sensitizer.
Germ cell mutagenicity No information available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---------------------------|-------|---------------------|-----|------|
| Tetramethrin 7696-12-0 | | Group 2A | | X |
| Permethrin 52645-53-1 | | Group 2A Group 3 | | X |

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard Not applicable.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 52632 mg/kg
ATEmix (dermal) 21053 mg/kg
ATEmix (inhalation-gas) 7344 mg/l
ATEmix (inhalation-dust/mist) 54.7 mg/l

ATEmix (inhalation-vapor) 54 mg/l

12. Ecological Information**ecotoxicity**

This pesticide is extremely toxic to aquatic organisms including fish and aquatic invertebrates. Do not apply directly to or near water. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

6.1 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|--|----------------------|---|----------------------------|---|
| Petroleum distillates, hydrotreated light 64742-47-8 | | 2.2: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 45: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 2.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static | | 4720: 96 h <i>Daphnia magna</i> mg/L LC50 |
| Permethrin 52645-53-1 | | 0.00188 - 0.00336: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.0108: 96 h <i>Lepomis macrochirus</i> mg/L LC50 0.00079: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.00049 - 0.00097: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.015: 96 h <i>Cyprinus carpio</i> mg/L LC50 flow-through 0.008 - 0.03: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 0.0052 - 0.0077: 96 h <i>Cyprinus carpio</i> mg/L LC50 0.001 - 0.009: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.0017 - 0.0048: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static | | |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|-----------------------|-----------------------|
| Propane 74-98-6 | 2.3 |
| n-butane 106-97-8 | 2.89 |
| Permethrin 52645-53-1 | 6.5 |

Other adverse effects

No information available

13. Disposal Considerations**Waste treatment methods****Disposal of wastes**

Dispose of in accordance with federal, state and local regulations.

FG 438-5102-7 CHAMPION SPRAYON FLYING INSECT KILLER FORMULA 2

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

| Chemical name | California Hazardous Waste Status |
|---------------------------|-----------------------------------|
| Tetramethrin 7696-12-0 | Toxic |
| Permethrin 52645-53-1 | Toxic |

14. Transport Information

DOT

UN/ID no
Proper Shipping Name
Hazard Class

Limited Quantity
Consumer Commodity
ORM-D

IATA

UN/ID no
Proper Shipping Name
Hazard Class

UN1950
Aerosols, flammable
2.1

IMDG

UN/ID no
Proper Shipping Name
Hazard Class
Marine pollutant

UN1950
Aerosols, flammable
2.1
This product contains chemicals that are toxic to aquatic life.

15. Regulatory information

International Inventories

TSCA

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

DSL

All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

| Chemical name | CAS No | weight-% | SARA 313 - Threshold Values % |
|--------------------------|------------|----------|-------------------------------|
| Tetramethrin - 7696-12-0 | 7696-12-0 | .15 | 1.0 |
| Permethrin - 52645-53-1 | 52645-53-1 | 0.15 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health Hazard
Chronic Health Hazard
Fire Hazard

yes
yes
No

FG 438-5102-7 CHAMPION SPRAYON FLYING INSECT KILLER FORMULA 2

Sudden release of pressure hazard
Reactive Hazard

No
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------------------|------------|---------------|--------------|
| Water 7732-18-5 | | | X |
| Propane 74-98-6 | X | X | X |
| n-butane 106-97-8 | X | X | X |
| Tetramethrin 7696-12-0 | X | | |
| Permethrin 52645-53-1 | X | X | |

U.S. EPA Label information

EPA Pesticide registration number 498-183

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Harmful if absorbed through skin or inhaled.

16. Other information

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|--|
| NFPA | Health Hazards 1 | Flammability 1 | Instability 1 | Physical and chemical properties Not applicable |
| HMIS | Health Hazards 1 | Flammability 2 | Physical hazards 1 | Personal Protection B - Eyes and hands protection |

Prepared by

Regulatory Department

Issue date

02-May-2019

Revision note

This SDS supersedes a previous SDS dated January 31, 2017.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet